

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	05-06-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	05-06-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Agriculture And Farmers Welfare
विभाग का नाम/Department Name	Department Of Agricultural Research And Education (dare)
संगठन का नाम/Organisation Name	Indian Council Of Agricultural Research (icar)
कार्यालय का नाम/Office Name	National Institute On Foot Mouth Disease
कुल मात्रा/Total Quantity	214572
वस्तु श्रेणी /Item Category	10 micro litre micro volume sterile universal fit pipette tips , 200 micro litre sterile universal fit pipette tips , 200 micro litre universal fit pipette tips , 200 micro litre universal fit pipette tips , filter tips , 1000 micro litre universal fit pipette tips , 1000 micro litre universal fit filter tips , 2.0 mL sterile micro centrifuge tube , 1.5 mL sterile micro centrifuge tube , 0.5 to 0.6 mL sterile micro centrifuge tube , Absorbent under pads mats , Disposable wipes small , pH indicator strips , Nitrile powder free gloves small , Nitrile powder free gloves medium , Nitrile powder free gloves large , Autoclavable biohazard bags , Autoclavable Aluminium Foil Roll , Glass Measuring Cylinder 1000 mL , Glass Measuring Cylinder 500 mL , Magnetic Retriever , 15 mL sterile centrifuge tubes , 50 mL sterile centrifuge tube , 0.2ml Thin Wall PCR Tubes with Flat Cap , 0.6 ml Snaplock Microcentrifuge Tube , 1.5ml Snaplock Microcentrifuge Tube , 2ml Snaplock Microcentrifuge Tube , 200 micro litre Universal Fit Filter Tips , 1000 micro litre Universal Fit Filter Tip , 10 micro litre Filter Tips , Roller Bottles for Cell Culture , Quick Release Vacuum Filtration System

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

10 µl micro-volume sterile universal fit pipette tips, 200 µl sterile universal fit pipette tips, 200 µl universal fit pipette tips, 200 µl universal fit sterile , filter tips, 1000 µl universal fit pipette tips, 1000 µl universal fit filter tips, 2.0 mL sterile micro-centrifuge tube, 1.5 mL sterile, micro-centrifuge tube, 0.5 - 0.6 mL sterile, micro-centrifuge tube, Absorbent under-pads, mats, Disposable wipes (small), pH indicator strips, Nitrile powder free gloves small, Nitrile powder free gloves medium, Nitrile powder free gloves large, Autoclavable biohazard bags, Autoclavable biohazard bags, Autoclavable biohazard bags, Autoclavable biohazard bags, Glass Measuring Cylinder (1000 mL), Glass Measuring Cylinder (500 mL), Magnetic Retriever, 15 mL sterile centrifuge tubes, 50 mL sterile centrifuge tube, 0.2ml Thin Wall PCR Tubes with Flat Cap, 0.6 ml Snaplock Microcentrifuge Tube, 1.5ml Snaplock Microcentrifuge Tube, 2ml Snaplock Microcentrifuge Tube, 200 µL Universal Fit Filter Tips, 1000 µL Universal Fit Filter Tip, 10 µL Filter Tips, Roller Bottles for Cell Culture, Quick Release Vacuum Filtration System, Autoclavable Aluminium Foil Roll

Searched String: 10 µl micro-volume sterile universal fit pipette tips

Universal Pipette Tips (V2)

Searched String: 200 µl sterile universal fit pipette tips

Universal Pipette Tips (V2)

Searched String: 200 µl universal fit pipette tips

Universal Pipette Tips (V2)

Searched String: 200 µl universal fit sterile , filter tips

Category not available on GeM for the text string uploaded by the buyer

Searched String: 1000 µl universal fit pipette tips

Universal Pipette Tips (V2)

Searched String: 1000 µl universal fit filter tips

Category not available on GeM for the text string uploaded by the buyer

Searched String: 2.0 mL sterile micro-centrifuge tube

Endotracheal Tube - Sterile (Single Use), Centrifuge Tubes (V3), Medical Centrifuge, PCR Tube Storage Racks, Blood Collection Tube, Test Tube Rack, microcentrifuge tubes, Memory Card Reader (V2), Minifuge, Ultra Violet (UV) Cabinet for Sterilization

Searched String: 1.5 mL sterile, micro-centrifuge tube

Endotracheal Tube - Sterile (Single Use), Centrifuge Tubes (V3), Medical Centrifuge, PCR Tube Storage Racks, Minifuge, Test Tube Rack, Blood Collection Tube, microcentrifuge tubes, Ultra Violet (UV) Cabinet for Sterilization

Searched String: 0.5 - 0.6 mL sterile, micro-centrifuge tube

बिड विवरण / Bid Details

Blood Collection Tube, Surgical Drapes Conforming to IS 17334, PCR Tubes, Laboratory Glassware - Burettes (V2) as

per IS 1997, Tissue Homogenizer, DNA marker, Endotracheal Tube - Sterile (Single Use), Minifuge, Micro/Semi-Micro/Analytical weighing balance, dntp mix

Searched String: Absorbent under-pads, mats

Absorbent Boom, Hydrocolloid Dressing, scouring pads, Upcycled Note Pads Message Pads (V1), X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, door mats, Desk Pads - Writing (V2), Sports Mats (V2), Message Pads-Handicraft, Sports Thigh Pads

Searched String: Disposable wipes (small)

Non Woven Wipes (V2) Conforming to IS 17787, Nitrile Coated/Nitrile Hand Gloves (V2), Shorts Disposable, Durry Small (IAF), Disposable Cup (V2), Small Cardamom (छोटै इलाइची), Disposable Head Rest Covers, Patient Gown, Disposable Single Use Towels, Disposable Food Packaging Container

Searched String: pH indicator strips

Bromothymol Blue Sodium Salt (W.S.) Acs (Ph Indicator), Phase Indicator, Glucometer Strips, Phenolphthalein indicator (V2), Tapered Bearings as per IS 12102, pH Paper (V2), Digital pH Meter, Ph Meter Rod, PH GLASS ELECTRODE, pH Electrode (V2)

Searched String: Nitrile powder free gloves small

Nitrile Coated/Nitrile Hand Gloves (V2), Solar direct drive combined refrigerator/freezer(small), Hospitals Cleaning Gloves, General Purpose Hand Gloves (V2), Thermal Gloves as per Defence specification

Searched String: Nitrile powder free gloves medium

Nitrile Coated/Nitrile Hand Gloves (V2), Hospitals Cleaning Gloves, General Purpose Hand Gloves (V2), Thermal Gloves as per Defence specification, Cotton Canvas Hand Gloves (SAIL), Heat Resistant Gloves, Radiation Protection Gloves, Rappelling / Slithering Gloves (Defence)

Searched String: Nitrile powder free gloves large

Nitrile Coated/Nitrile Hand Gloves (V2), Hospitals Cleaning Gloves, General Purpose Hand Gloves (V2), Thermal Gloves as per Defence specification, Heat Resistant Gloves, Cotton Canvas Hand Gloves (SAIL), Rappelling / Slithering Gloves (Defence)

Searched String: Autoclavable biohazard bags

Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Autoclavable Reusable Veterinary Syringes, Leno Bags, Casualty Bags, Vertical Autoclave, Handcrafted Hand Bags and Sling Bags, Horizontal Autoclave, Jute Bags for Packaging 50 kg Sugar ISI marked to IS 15138, Compostable Nursery Bags (V2), Compostable Carry Bags

Searched String: Autoclavable biohazard bags

Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Autoclavable Reusable Veterinary Syringes,

बिड विवरण / Bid Details	Leno Bags, Casualty Bags, Vertical Autoclave, Handcrafted Hand Bags and Sling Bags, Horizontal Autoclave, Jute Bags for Packaging 50 kg Sugar ISI marked to IS 15138, Compostable Nursery Bags (V2), Compostable Carry Bags
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Autoclavable biohazard bags</p> <p>Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Autoclavable Reusable Veterinary Syringes, Leno Bags, Casualty Bags, Vertical Autoclave, Handcrafted Hand Bags and Sling Bags, Horizontal Autoclave, Jute Bags for Packaging 50 kg Sugar ISI marked to IS 15138, Compostable Nursery Bags (V2), Compostable Carry Bags</p> <p>Searched String: Autoclavable biohazard bags</p> <p>Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Autoclavable Reusable Veterinary Syringes, Leno Bags, Casualty Bags, Vertical Autoclave, Handcrafted Hand Bags and Sling Bags, Horizontal Autoclave, Jute Bags for Packaging 50 kg Sugar ISI marked to IS 15138, Compostable Nursery Bags (V2), Compostable Carry Bags</p> <p>Searched String: Glass Measuring Cylinder (1000 mL)</p> <p>Measuring Mug / Cup, Domestic Mugs - Bathroom, Shaker Incubator, Measured Volume Set (V2), Toilet Cleaner Liquid (V3) conforming to IS 7983, Touchless Sanitizer Dispenser, Bottle for Chemical Laboratory, Laboratory Glassware Volumetric Flask, Water Jugs, Glass Tableware (V2) Conforming to IS 1961</p> <p>Searched String: Glass Measuring Cylinder (500 mL)</p> <p>Measuring Mug / Cup, Domestic Mugs - Bathroom, Measured Volume Set (V2), Alcohol Based Hand Sanitizer, Shaker Incubator, Laboratory Glassware Volumetric Flask, Bottle for Chemical Laboratory, Plastic Wash Bottle, Toilet Cleaner Liquid (V3) conforming to IS 7983, Glass Tableware (V2) Conforming to IS 1961</p> <p>Searched String: Magnetic Retriever</p> <p>Magnetic Stand, Dry Erase Writing Boards (V3), magnetic stirrers, Police Dogs (V1), Fingerprint Magnetic Applicators, Magnetic Earth Clamp, Magnetic Stirring Bar, Magnetic Oil Gauge, Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2), Magnetic Compass (V2)</p> <p>Searched String: 15 mL sterile centrifuge tubes</p> <p>Centrifuge Tubes (V3), Endotracheal Tube - Sterile (Single Use), Minifuge, Blood Collection Tube, Urine Collection Bag - Sterile (Single Use), Medical Centrifuge, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Laboratory Vials (V2), Ultra Violet (UV) Cabinet for Sterilization, Non Woven Bandage Roll Conforming to IS 16660</p> <p>Searched String: 50 mL sterile centrifuge tube</p> <p>Endotracheal Tube - Sterile (Single Use), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Centrifuge Tubes (V3), PCR Tube Storage Racks, Wrought Aluminium and Aluminium Alloy Bars, Rods, Tubes, Sections, Plates and Sheets for Electrical Application - IS 5082, Blood Collection Tube, Single Use Medical Examination Gloves Conforming to</p>

बिड विवरण / Bid Details IS 15354 (Part 1), Urine Collection Bag - Sterile (Single Use), Medical Centrifuge, Cast Iron Bench

Searched String: 0.2ml Thin Wall PCR Tubes with Flat Cap
PCR Mini Cooler, PCR Tubes, Laboratory Vials (V2)

Searched String: 0.6 ml Snaplock Microcentrifuge Tube
microcentrifuge tubes, Blood Collection Tube, Test Tube Rack, Correction Fluid Pen(V3), PCR Tube Storage Racks, PCR Tubes, Endotracheal Tube - Sterile (Single Use), Laboratory Glassware - Burettes (V2) as per IS 1997, Tissue Homogenizer, DNA marker

Searched String: 1.5ml Snaplock Microcentrifuge Tube
microcentrifuge tubes, Blood Collection Tube, Test Tube Rack, Endotracheal Tube - Sterile (Single Use), Disposable Tracheostomy Tube (V2), Minifuge, Centrifuge Tubes (V3), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Multipurpose or General Test Tubes (V2) as per IS 2618, Ultra Violet (UV) Cabinet for Sterilization

Searched String: 2ml Snaplock Microcentrifuge Tube
microcentrifuge tubes, Blood Collection Tube, Test Tube Rack, PCR Tubes, Endotracheal Tube - Sterile (Single Use), Minifuge, Ultra Violet (UV) Cabinet for Sterilization, Laboratory Vials (V2), PCR Mini Cooler, Polyurethane Tube (V2)

Searched String: 200 µL Universal Fit Filter Tips
Category not available on GeM for the text string uploaded by the buyer

Searched String: 1000 µL Universal Fit Filter Tip
Category not available on GeM for the text string uploaded by the buyer

Searched String: 10 µL Filter Tips
Filter Cartridge, Battery Operated Industrial Sweeper, Polypropylene Cartridge Filter, Laboratory Filter Papers (V2)

Searched String: Roller Bottles for Cell Culture
Urine Culture Bottle (V2), Bottle for Chemical Laboratory, Biobanking and Cell Culture Cryogenic Tubes, Rabies Veterinary Vaccine, Inactivated (Cell Culture), Multiwell plates for tissue culture, Bio Culture for wastewater treatment, Petri plates or dishes(V2), Tissue culture Racks for Plant Tissue culture in pre hardening Units, Incubator (FSSAI), Toner Cartridges / Ink Cartridges / Consumables for Printers

Searched String: Quick Release Vacuum Filtration System
Vacuum Filtration Assembly, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Vacuum Filtration Equipment as per IS 10037 (Part 2), Transformer Oil filtration plants, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), centrifugal oil cleaning machine, High Vacuum Suction Machine (V3), industrial vacuum cleaner, Air Decontamination System (Fumigation Cum Air

	Purification System) बिड विवरण / Bid Details
	Searched String: Autoclavable Aluminium Foil Roll Aluminum Foil Wrapping Rolls & Sheets-IS:8970, Disposable Food Packaging Container, High Grade Pure Aluminium Foil - BHEL, Aluminium And Aluminium Alloy Foil For Pharmaceutical Packaging-IS:16011, Aluminium and Aluminium Alloy Bare Foil for Food Packaging (V2) as per IS 15392, Calorimeter for laboratory, Aluminum Tape, Aluminium Barrier Laminated Bags, ALO Cloth Roll, Rolled Copper and Copper Alloy Sheet, Strip and Foil
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Universal Pipette Tips (V2) • Centrifuge Tubes (V3) • Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3)
बीओक्यू शीर्षक / BOQ Title	D 21013 12 2026 Plasticwares LHDCP
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	18 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	18 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	3

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	20 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	10 micro litre micro volume sterile universal fit pipette tips
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Group wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20

मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into

account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Consignee/Reporting Officer	Consignee Address	Quantity
	10 Micro Litre Micro Volume Sterile Universal Fit Pipette Tips	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	50
	200 Micro Litre Sterile Universal Fit Pipette Tips	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	50

Schedule 1

200 Micro Litre Universal Fit Pipette Tips	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	20000
200 Micro Litre Universal Fit Sterile , Filter Tips	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	20
1000 Micro Litre Universal Fit Pipette Tips	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	20
1000 Micro Litre Universal Fit Filter Tips	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	10
2.0 MI Sterile Micro Centrifuge Tube	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	2500
1.5 MI Sterile Micro Centrifuge Tube	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	2500
0.5 To 0.6 MI Sterile Micro Centrifuge Tube	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	2500
Absorbent Under Pads Mats	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	250
Disposable Wipes Small	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	10000
Ph Indicator Strips	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	1000
Nitrile Powder Free Gloves Small	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	1000
Nitrile Powder Free Gloves Medium	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	2000
Nitrile Powder Free Gloves Large	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	500
Autoclavable Biohazard Bags	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	1000
Autoclavable Biohazard Bags	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	1000
Autoclavable Biohazard Bags	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	1000
Autoclavable Biohazard Bags	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	1000
Autoclavable Aluminium Foil Roll	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	500
Glass Measuring Cylinder 1000 MI	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	5
Glass Measuring Cylinder 500 MI	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	5
Magnetic Retriever	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	2
15 MI Sterile Centrifuge Tubes	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	2000
50 MI Sterile Centrifuge Tube	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	2000

Schedule 2	0.2ml Thin Wall Pcr Tubes With Flat Cap	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	5000 0
	0.6 MI Snaplock Microcentrifuge Tube	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	1500 0
	1.5ml Snaplock Microcentrifuge Tube	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	1500 0
	2ml Snaplock Microcentrifuge Tube	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	1000 0
	200 Micro Litre Universal Fit Filter Tips	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	2400 0
	1000 Micro Litre Universal Fit Filter Tip	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	2500 0
	10 Micro Litre Filter Tips	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	2400 0
Schedule 3	Roller Bottles For Cell Culture	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	240
Schedule 4	Quick Release Vacuum Filtration System	Tathagata Mukherjee	ICAR-National Institute on Foot & Mouth Disease 752050	420

10 Micro Litre Micro Volume Sterile Universal Fit Pipette Tips

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	50	30

200 Micro Litre Sterile Universal Fit Pipette Tips

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	50	30

200 Micro Litre Universal Fit Pipette Tips

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	20000	30

200 Micro Litre Universal Fit Sterile , Filter Tips

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	20	30

1000 Micro Litre Universal Fit Pipette Tips

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	20	30

1000 Micro Litre Universal Fit Filter Tips

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	10	30

2.0 ML Sterile Micro Centrifuge Tube

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	2500	30

1.5 ML Sterile Micro Centrifuge Tube

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	2500	30

0.5 To 0.6 ML Sterile Micro Centrifuge Tube

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	2500	30

Absorbent Under Pads Mats

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	250	30

Disposable Wipes Small

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	10000	30

PH Indicator Strips

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	1000	30

Nitrile Powder Free Gloves Small

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	1000	30

Nitrile Powder Free Gloves Medium

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	2000	30

Nitrile Powder Free Gloves Large

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	500	30

Autoclavable Biohazard Bags

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	1000	30

Autoclavable Biohazard Bags

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	1000	30

Autoclavable Biohazard Bags

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	1000	30

Autoclavable Biohazard Bags

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	1000	30

Autoclavable Aluminium Foil Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	500	30

Glass Measuring Cylinder 1000 ML

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	5	30

Glass Measuring Cylinder 500 ML

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	5	30

Magnetic Retriever

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	2	30

15 ML Sterile Centrifuge Tubes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	2000	30

50 ML Sterile Centrifuge Tube

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	2000	30

0.2ml Thin Wall PCR Tubes With Flat Cap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	50000	30

0.6 MI Snaplock Microcentrifuge Tube

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	15000	30

1.5ml Snaplock Microcentrifuge Tube

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	15000	30

2ml Snaplock Microcentrifuge Tube

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	10000	30

200 Micro Litre Universal Fit Filter Tips

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	24000	30

1000 Micro Litre Universal Fit Filter Tip

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	25000	30

10 Micro Litre Filter Tips

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	24000	30

Roller Bottles For Cell Culture

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	240	30

Quick Release Vacuum Filtration System

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tathagata Mukherjee	752050,ICAR-National Institute on Foot & Mouth Disease	420	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Additional Terms & Conditions (ATCs)

Clause 1: Prohibition of Financial Disclosure in Technical Bid (Two-Packet System)

In case of two-packet bidding systems (separate technical and financial bids), it is strictly prohibited to mention or indicate any financial value, pricing detail, or commercial term in the technical bid documents. Any such disclosure—intentional or otherwise—shall render the concerned bid liable for immediate rejection for that particular schedule or the entire bidding process, as applicable. This clause is non-negotiable and is aimed at preserving the sanctity and impartiality of the technical evaluation process.

Clause 2: Abnormally Low Quoted Amounts and Disqualification

To uphold the principles of fair competition and to prevent any attempt to secure L1 status through non-bonafide practices, it is hereby stipulated that:

- If any item within a schedule is quoted at an abnormally low price (e.g., ₹1 or any other value significantly below reasonable market rates), the respective evaluation committee shall have the discretion to examine the quotation for its reasonableness.
- In such cases, a one-time opportunity for justification shall be provided to the concerned bidder(s) through the GeM portal. The bidder must furnish a valid and satisfactory explanation or cost breakup justifying the quoted price within the specified timeline.
- Failure to submit such justification, the inability to provide at that price, or submission of an inadequate/unsatisfactory justification may result in the rejection of the quoted item(s) and disqualification of the bid for that particular schedule or the entire tender, as deemed appropriate by the Competent Authority.

The decision of the Evaluation Committee/Competent Authority in this regard shall be final and binding, and no further correspondence shall be entertained.

Clause 3: Rejection of Bids in Case of Identical IP Address

In order to ensure transparency and fairness in the bidding process, it is hereby stipulated that if two or more bids are found to have been submitted from the same IP address, such bids shall be treated as non-compliant and shall be summarily rejected without any further consideration.

As per CAG, "Placing of more than one bid for the same tender from the same IP address more often than not shows that the same computer was used to place the bids and is an indicator for collusion among bidders."

This provision is aimed at preventing collusive bidding or any attempt to manipulate the procurement process. The decision of the Competent Authority in this regard shall be final and binding.

Clause 4: Mandatory Submission of Compliance Sheet with Manufacturer Details

To ensure authenticity and traceability of the materials, the seller shall provide a **schedule-wise compliance sheet** on the **signed letterhead of the firm** at the time of bid submission. The compliance sheet must clearly indicate:

- Name of the **manufacturer** of the chemical/plasticware/glassware/material,
- Corresponding **catalogue number / product ID**, and
- Confirmation of adherence to the required specifications through **CoA** {Certificate of Analysis} (which can be verified by the technical committee) or **Product literature** attached with the technical bid verifiable online.

Failure to submit any/all compliance documentation in the prescribed format may render the bid liable for rejection at the technical evaluation stage itself.

Note: The final order shall be placed only on those bidders

who submit bids for and affirm their capability and willingness to supply all items covered under the respective schedule/package/BOQ in entirety. Partial quoting or non-confirmation for supply of all scheduled items may render the bid liable for rejection at the discretion of the Buyer.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in

the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---